# **BAUX** Recycled PET Material Data Sheet



Handling, Usage and Contact Products and Dimensions Colours Digital Toolkit Compositions of Ingriedients Acoustic Performance Product Specification Codes

### Read this

#### **Benefits of BAUX Acoustic FELT - Recycled PET**

The excess of unwanted plastics in the world is obvious, only a small fragment is recycled and reused into new products, a devastatingly big amount is still going to the landfill or burned to generate energy. By selecting a product made out of recycled PET you contribute to a more sustainable world. BAUX can present a GRS Certified source of recycled PER, accredited by IOAS and sprung from various recycling entities across Europe.

#### Unpacking and handling

Please handle BAUX products with care during unpacking and installation. Be sure to inspect materials upon delivery and note any damages on the delivery and notify BAUX immediately.

#### Use and maintenance

BAUX products do not require subsequent care. However, we recommend light cleaning using a vacuum cleaner. Should vacuum-cleaning prove insufficient, you can wipe the panels using a damp cloth. Cleaning liquids may be used.

#### Contact:

If you are interested in BAUX acoustic products, please get in touch. We ship globally through our headquarters and via local partners and representatives.

For more information, visit baux.com or contact us at info@baux.com.

BAUX HQ - Stockholm, Sweden baux.com/contact, 0046 (8) 21 07 07, info@baux.com

## **Panels**

Products:	Developed DET 70/10			
	Recycled PET 70×40	Recycled PET 120×40	Recycled	PET 140×40
	Recycled PET 70×60	Recycled PET 120×60		PET 140×60
	Recycled PET 70×120	Recycled PET 120×120	Recycled	PET 140×120
Dimensions:	Product:	Width: (mm & inch)	Height: (mm & inch)	Thickness: (mm & inch)
	Recycled PET 70×40	700 mm 27.56"	400 mm 15.75"	36 mm 1.42"
	Recycled PET 70×60	700 mm 27.56"	600 mm 23.62"	36 mm 1.42"
	Recycled PET 70×120	700 mm 27.56"	1200 mm 47.24"	36 mm 1.42"
	Recycled PET 120×40	1180 mm 46.46"	400 mm 15.75"	36 mm 1.42"
	Recycled PET 120×60	1180 mm 46.46"	600 mm 23.62"	36 mm 1.42"
	Recycled PET 120×120	1180 mm 46.46"	1200 mm 47.24"	36 mm 1.42"
	Recycled PET 140×40	1400 mm 55.12"	400 mm 15.75"	36 mm 1.42"
	Recycled PET 140×60	1400 mm 55.12"	600 mm 23.62"	36 mm 1.42"
	Recycled PET 140×120	1400 mm 55.12"	1200 mm 47.24"	36 mm 1.42"

## **Accessories**

4

Products: Floor holders:


Top Cap

Desk holders:

Table Clamp Table Clamp Top
Side Top

Dimensions:	Product:	Dimensions (mm):	Dimensions (inch):	
	Table Clamp Side	320×100×32 mm	12.6×3.94×1.26"	
	Table Clamp Top	295×50×32 mm	11.61×1.97×1.26"	
	Table Stand	Ø150xh193 mm	Ø5.91xh7.6"	
	Floor Stand	Ø350xh891 mm	Ø13.8xh35.08"	

## Colours



## **Digital Toolkit**

About:

BAUX Digital Toolkit is a free resource packed with downloadable files that help working professionals design, sketch and construct sustainable, beautiful and acoustically pleasing environments for spaces of every size.

Download the full toolkit or specific files at baux.com



#### 3D/CAD

For many professionals, computer-aided design is an indispensable tool when it comes to visualising designs for upcoming projects. All of our Acoustic Felt product files are available in formats compatible with AutoCAD, Sketchup, ArchiCAD, Rhino and more.

.3ds .dwg .dxf .igs .skp .sldprt .step



#### BIM/Revit

Building information modelling is an essential tool used by professionals for virtual construction during the project planning process. All of our Acoustic Felt product files are available in compatible formats, including detailed elements featuring BAUX colour schemes.

.rfa



#### **Keynote and Powerpoint**

If you need help getting the ideation process rolling, our ready-to-go presentation is an excellent catalyst.

Available in both Keynote and Powerpoint formats, it features "drag & drop" objects so you can start designing right away.

Great for workshops and client meetings.

.key .pptx



#### **BAUX Patterns**

BAUX Patterns makes it easier than ever to transform any space with a unique Acoustic Felt design. Select from over 500 pre-measured 3D patterns, each designed to repeat like wallpaper so you can quickly calculate exactly how many tiles you'll need for your project.

.png .tiff .jpg .dwg .txt



#### Adobe Illustrator

An easy and efficient design tool, a lot of professionals choose Adobe Illustrator to help bring their creative visions to life. All of our Acoustic Felt product files are ready to go in compatible formats for easy upload so you can start playing with shapes, colours and patterns.

.ai

6



#### **Adobe Photoshop**

A popular tool for editing photos and graphics.
Adobe Photoshop can help you perfect your presentation and exhibit your design at its fullest potential. To make things easier, we supply high-resolution pictures of all Acoustic Felt products in vectorised PDF format.

.psd



#### **Texture Files**

The next best thing to experiencing it in person. Texture files give you an idea of what a material will bring to a space in terms of colour and feel. All of our Acoustic Felt product files are available in texture file formats. Great for renderings or as colour samples.

[.ai]



#### Mounting DWG

When it's time to build, we have the information you'll need to translate your designs from drawings to real life. We provide mounting files in DWG format, which can be attached to drawings, as well as installation instructions for the entire BAUX Acoustic Felt range.

.dwg

## **Compositions of Ingredients**

Composition of ingredients:

100 % PET whereof 60-65 % Post Consumer Recycled content

Oeko - Tex Standard 100, class I

100 % Recyclable.

GRS Certified source of recycled PET

Accredited by IOAS

Source: Recycling entities across Europe



The GRS is an international, voluntary, full product standard that sets out requirements for third-party certification of recycled content, chain of custody, social and environmental practices, and chemical restrictions. The goal of the GRS is to increase the use of recycled materials in products and reduce/eliminate the harm caused by its production. GCL Internationals's accredited scope for GRS includes among other things content of recycled fibers in textile products and the content of recycled plastic in plastic products.



IOAS is a non-profit organization dedicated to the integrity of ecolabel claims in the field of organic and sustainable agriculture, environmental management, social justice, and fair trade. IOAS works internationally to assess the competence of organizations providing certification to "sustainability" standards such that producers can work in a fair environment and consumers can trust the products bearing these labels; our contribution to a more sustainable and fairer world.


Compositions of Ingriedients BAUX

## **Acoustic Performance**

Table screens acoustic performance: Floor screens acoustic performance:

Absorption area\* (m2 Sabins)

Absorption area\* (m2 Sabins)




Frequency Hz

0.2

0.0

125

250



Frequency Hz

2000

4000

	Dimension	N <sub>10**</sub>
•	70 × 40	36
•	70 × 60	26
•	120 × 40	22
	120 × 60	14
•	140 × 40	17
•	140 × 60	12

Dimension		N <sub>10**</sub>	
•	70 × 120	14	
•	120 × 120	8,3	
•	120 × 140	7.1	

500

1000

<sup>\*</sup>Calculated sound absorption area from ISO 354:2003 reverberation room measurements, evaluated according to ISO 20189:2018

<sup>\*\*</sup>N10 is the number of screens required to obtain 10 square meters effective sound absorption area for speech. Technically, the N10 measure is based on the unisex speech spectrum found in IEC 60268-16, and it was found that the 500 Hz octave band has the largest impact. The N10 measure is calculated from the product's sound absorption area in the octave bands between 125 - 4000 Hz (following the Swedish standard SS 25269). The N10 value is simply 10 divided by the sound absorption area at 500 Hz. N10 is therefore a simple way to describe the effective sound absorption for speech of single products, and the requirement can be adapted to various product sizes. Source: acousticfacts.com

# Specification Codes - Panels and Accessories

Product:	Colour	Spec Code	Colour	Spec Code
	Recycled PET w.70 x h.40		Recycled PET w.120 x h.120	
	Light Grey Grey	FEP-001-05 FEP-001-06	Light Grey Grey	FEP-008-05 FEP-008-06
	Dark Grey	FEP-001-07	Dark Grey	FEP-008-07
	Khaki	FEP-001-08	Khaki	FEP-008-08
	Coral Red	FEP-001-09	Coral Red Jade Green	FEP-008-09
	Jade Green	FEP-001-10	Jade Green	FEP-008-10
	Recycled PET w.70 x h.60		Recycled PET w.140 x h.120	
	Light Grey	FEP-002-05	Light Grey	FEP-009-05
	Grey	FEP-002-06	Grey	FEP-009-06
	Dark Grey	FEP-002-07	Dark Grey	FEP-009-07
	Khaki	FEP-002-08	Khaki	FEP-009-08
	Coral Red	FEP-002-09	Coral Red	FEP-009-09
	Jade Green	FEP-002-10	Jade Green	FEP-009-10
	Recycled PET w.120 x h.40			
	Light Grey	FEP-003-05	Accessories:	
	Grey	FEP-003-06	Table Clamp Top	
	Dark Grey	FEP-003-07	Box 2 pcs	
	Khaki	FEP-003-08		V/FF 004 04
	Coral Red Jade Green	FEP-003-09 FEP-003-10	White Black	XFE-001-01 XFE-001-02
	Jade Green	FEF-003-10	Black	XFE-001-02
	Recycled PET w.120 x h.60			
	Light Grey	FEP-004-05	Accessories	
	Grey	FEP-004-06	Table Clamp Side	
	Dark Grey Khaki	FEP-004-07	Box 2 pcs	
	Coral Red	FEP-004-08 FEP-004-09	White	XFE-002-01
	Jade Green	FEP-004-10	Black	XFE-002-02
	Recycled PET w.140 x h.40			
	Light Grey	FEP-005-05	Accessories	
	Grey	FEP-005-06	Table Stand	
	Dark Grey	FEP-005-07	Box 2 pcs	
	Khaki	FEP-005-08		
	Coral Red	FEP-005-09	White	XFE-003-01
	Jade Green	FEP-005-10	Black	XFE-003-02
	Recycled PET w.140 x h.60			
	Light Grey	FEP-006-05	Accessories	
	Grey	FEP-006-06	Floor Stand	
	Dark Grey	FEP-006-07	Box 2 pcs	
	Khaki	FEP-006-08		
	Coral Red	FEP-006-09	White	XFE-004-01
	Jade Green	FEP-006-10	Black	XFE-004-02
	Recycled PET w.70 x h.120			
	Light Grey	FEP-007-05	Accessories	
	Grey	FEP-007-06	Floor Stand	
	Dark Grey	FEP-007-07	Single	
	Khaki	FEP-007-08		VEE 225 24
	Coral Red Jade Green	FEP-007-09	White Black	XFE-005-01 XEE-005-02
	Jaue Green	FEP-007-10	DIACK	XFE-005-02

## **BAUX**

Let's build!